

POLYPIPE CIVILS SAFETY DATA SHEET

Date: April 2013
 Code: LDPE/MDPE/HDPE Polyethylene
 Page: 1 of 3

1. IDENTIFICATION PRODUCT NAME: LDPE/MDPE/HDPE Polyethylene Pipe SUPPLIER: POLYPIPE CIVILS CHARNWOOD BUSINESS PARK NORTH RD LOUGHBOROUGH LE11 1LE TELEPHONE: 01509 615100 EMERGENCY: 07770 933876 or 07793 967435 The following information is based upon our current knowledge and experience of our products and is not exhaustive. It applies to the product range outlined above. The potential hazards identified, together with the recommended precautions for storage, handling and use, give the basic information for conducting workplace risk assessments and adequate control measures under the Management of Health and Safety at Work Regulations 1999 and Control of Substances Hazardous to Health Regulations 2002.		
2. HAZARDS IDENTIFICATION There are no known hazards associated with the solid products, although fine particles released on cutting may cause irritation to the eyes and respiratory tract. Polyethylene is chemically stable at normal temperature. Whilst some materials used in manufacture may themselves present a hazard, the finished product is chemically stable and no longer constitutes a chemical hazard.		
3. COMPOSITION / INFORMATION ON INGREDIENTS		
Polyethylene	CAS No#9003-070-0	Hazardous Ingredients : None
Product Description : RIDGIDUCT / RIDGICOIL / RIDGIDRAIN / RIDGIGULLY POLYDUCT / DUCT ACCESS BOXES / RIDGISTORM-XL Various sizes and lengths of LDPE/MDPE/HDPE polyethylene ducting		
4. FIRST AID MEASURES Eye contact: Rinse with clean water to remove particles. Seek medical advice Skin contact: Wash with soap and water. Burns caused by molten material require hospital treatment Ingestion: Wash out mouth with water. Obtain medical attention.		
5. FIRE FIGHTING MEASURES Polyethylene is combustible, but burns slowly. In a fire it will melt and falling droplets may propagate the fire. Extinguishing Media: In the early stages of a fire avoid the use of water jets as this may propagate the fire. Use water spray, CO ₂ , foam or dry powder. If possible remove plastic from the seat of the fire. If immediate action fails to extinguish, evacuate the building. With large fires, self-contained breathing apparatus must be worn. Hazardous combustion products: Carbon Monoxide, Carbon Dioxide, Acrolein and other Aldehydes.		

6. ACCIDENTAL RELEASE MEASURES
Not Applicable
7. HANDLING AND STORAGE
Storage Precautions : This product is combustible. Store away from naked flames, or hot surfaces. Polyethylene should not be stored in contact with strong acids or powerful oxidising agents.
8. EXPOSURE CONTROLS / PERSONAL PROTECTION
Gaseous products of degradation can be given off if the product is overheated. Avoid inhalation.
9. PHYSICAL AND CHEMICAL PROPERTIES *
Appearance: Solid plastic products Odour/Taste: None Density: @0.9g/cm ³ (variable) Melting Point 125 - 170°C Decomposition 300 - 325°C Ignition temperature >360°C Solubility Insoluble in water
10. STABILITY AND REACTIVITY
Polyethylene products are completely stable in normal use. Hazardous Decomp. Products: Fire or high temperatures create: Variety of gases and vapours, Water, Aldehydes (Acrolein), Carbon monoxide (CO). Carbon Dioxide (CO ₂).
11. TOXICOLOGICAL INFORMATION
In our experience and information available to us, the product is not harmful to health provided it is correctly handled and processed.

SAFETY DATA SHEET

Date: April 2013

Code: LDPE/MDPE/HDPE Polyethylene

Page: 3 of 3

12. ECOLOGICAL INFORMATION

There is no risk to the environment from the use of this product. The product has not been tested due to its consistency and its low water solubility. Bio-availability is unlikely.

13. WASTE DISPOSAL

Disposal Methods: Waste product comes within the scope of The Environmental Protection (Duty of Care) Regulations 1991 (SI 1991/2839 as amended SI 1996/972).

Check for possible re-cycling.

14. TRANSPORT INFORMATION

These products are not classified as dangerous goods for carriage.

15. REGULATORY INFORMATION

Not classified as dangerous for supply.

16. OTHER INFORMATION

This product should be used as directed. Recipients of the product must take responsibility for observing existing laws and regulations.

This Safety Data Sheet was compiled using the current safety information supplied by the distributors of the component materials. This Safety Data Sheet, in CHIP format, supersedes all previous issues, and users are cautioned to ensure it is current as of April 2013.